

# How to Display All Crontabs Running Using a Bash Script?

written by sysadmin | 13 December 2025

I would like to know who is running crontab on the Linux server.

## Problem

How to display all crontabs running using a Bash script?

## Solution

By default, run the command below if you want to display the crontab command:

```
crontab -l
```


However, if you want to display another user, for example, user john, use the command below:

```
sudo crontab -l -u john
```

If you want to see all users running crontab, then you can run the command below:

### Ubuntu/Debian

```
ls -l /var/spool/cron/crontabs
```



```
sysadmin@ubuntu2404:~$ sudo ls -l /var/spool/cron/crontabs
[sudo] password for sysadmin:
total 8
-rw----- 1 john      crontab 1154 Nov 26 07:50 john
-rw----- 1 sysadmin  crontab 1215 Nov 26 08:02 sysadmin
sysadmin@ubuntu2404:~$
```

Displays all users running crontab

## RockyLinux/AlmaLinux/RHEL/CentOS

```
ls -l /var/spool/cron/
```

Use the command below if you want to see all users running crontab and display each user's crontab at the same time:

```
awk -F: '$3>=1000 || $1=="root" {print $1}' /etc/passwd |
while read u; do
    if sudo crontab -l -u "$u" &>/dev/null; then
        echo
        echo "=== $u ==="
        sudo crontab -l -u "$u" | grep -v '^#' | sed '/^\s*$/d'
        echo ""
    fi
done
```

```
sysadmin@ubuntu2404:~$ awk -F: '$3>=1000 || $1=="root" {print $1}' /etc/passwd |
while read u; do
    if sudo crontab -l -u "$u" &>/dev/null; then
        echo
        echo "=== $u ==="
        sudo crontab -l -u "$u" | grep -v '^#' | sed '/^\s*$/d'
        echo ""
    fi
done

=== sysadmin ===
@reboot sleep 900 &&    cd /home/sysadmin;./time.sh
0 0 * * 6            cd /home/sysadmin;./saturday.sh
15 7 24-31 * 6       date > time.txt

=== john ===
30 10 * * *         sudo systemctl restart apache2

sysadmin@ubuntu2404:~$
```

Displays all users running crontab and their script(s) on crontab

If you want the result of the above command to be entered as a CSV file, then run the command below:

```
echo "user,cron_entry" > all_user_crontab.csv; \
awk -F: '$3>=1000||$1=="root"{print $1}' /etc/passwd | while read u; do \
    if sudo crontab -l -u "$u" &>/dev/null; then \
        sudo crontab -l -u "$u" | \
        grep -v '^[[:space:]]*#' | grep -v '^[[:space:]]*$' | \
        while read line; do \
```

```

        echo "$u,\"$line\"" >> all_user_crontab.csv; \
    done; \
fi; \
done

```

```

sysadmin@ubuntu2404:~$ echo "user,cron_entry" > all_user_crontab.csv; \
awk -F: ' $3>=1000 || $1=="root" {print $1}' /etc/passwd | while read u; do \
    if sudo crontab -l -u "$u" &>/dev/null; then \
        sudo crontab -l -u "$u" | \
        grep -v '^[[[:space:]]*# ' | grep -v '^[[[:space:]]*$ ' | \
        while read line; do \
            echo "$u,\"$line\"" >> all_user_crontab.csv; \
        done; \
    fi; \
done
sysadmin@ubuntu2404:~$ cat all_user_crontab.csv
user,cron_entry
sysadmin,"@reboot      sleep 900 &&      cd /home/sysadmin;./time.sh"
sysadmin,"0 0 * * 6    cd /home/sysadmin;./saturday.sh"
sysadmin,"15 7 24-31 * 6      date > time.txt"
john,"30 10 * * *      sudo systemctl restart apache2"
sysadmin@ubuntu2404:~$

```

Run the command to display all the users and their crontab, and save it to the CSV file

However, if you want to display all crontabs, whether run by the user or the Linux system, then you can use the command below:

```

#!/bin/bash

clean_output() {
    grep -v '^[[[:space:]]*# ' | grep -v '^[[[:space:]]*$ '
}

echo "=== SYSTEM CRONTABS ==="
echo ""

# Main crontab system
if [[ -f /etc/crontab ]]; then
    echo "--- /etc/crontab ---"
    clean_output < /etc/crontab
    echo ""
fi

# Cron.d directory
if [[ -d /etc/cron.d ]]; then

```

```

echo "--- /etc/cron.d/ ---"
for f in /etc/cron.d/*; do
    [[ -f "$f" ]] || continue
    echo "File: $f"
    clean_output < "$f"
    echo ""
done
fi

# Cron.daily, cron.hourly, cron.weekly, cron.monthly
for dir in daily hourly weekly monthly; do
    path="/etc/cron.$dir"
    if [[ -d "$path" ]]; then
        echo "--- /etc/cron.$dir/ ---"
        # List script names only (normally no '#' inside)
        ls -l "$path"
        echo ""
    fi
done

echo "=== USER CRONTABS ==="
echo ""

# All user in /etc/passwd
for user in $(cut -f1 -d: /etc/passwd); do
    uid=$(id -u "$user" 2>/dev/null)
    [[ $? -ne 0 ]] && continue
    if [[ $uid -lt 1000 && $user != "root" ]]; then
        continue
    fi

    crontab_content=$(sudo crontab -l -u "$user" 2>/dev/null | clean_output)

    if [[ -n "$crontab_content" ]]; then
        echo "--- Crontab for user: $user ---"
        echo "$crontab_content"
        echo ""
    fi
done

```

And use the script below if you want to insert the result into a CSV file:

```

#!/bin/bash

OUTPUT="cron_inventory.csv"

echo "type,owner,source,cron_entry" > "$OUTPUT"

```

```

filter_clean() {
    grep -v '^[[:space:]]*#' | grep -v '^[[:space:]]*$'
}

#####
# SYSTEM CRONTAB
#####

if [[ -f /etc/crontab ]]; then
    cat /etc/crontab | filter_clean | while read line; do
        echo "system,root,/etc/crontab,\"$line\" " >> "$OUTPUT"
    done
fi

#####
# /etc/cron.d
#####

if [[ -d /etc/cron.d ]]; then
    for file in /etc/cron.d/*; do
        [[ -f "$file" ]] || continue
        cat "$file" | filter_clean | while read line; do
            echo "system,root,$file,\"$line\" " >> "$OUTPUT"
        done
    done
fi

#####
# cron.daily / cron.hourly / cron.weekly / cron.monthly
#####

for dir in daily hourly weekly monthly; do
    path="/etc/cron.$dir"
    if [[ -d "$path" ]]; then
        for script in "$path"/*; do
            [[ -f "$script" ]] || continue
            echo "system,root,$path,$(basename "$script")" >> "$OUTPUT"
        done
    fi
done

#####
# USER CRONTABS
#####

for user in $(cut -f1 -d: /etc/passwd); do
    uid=$(id -u "$user" 2>/dev/null)
    [[ $? -ne 0 ]] && continue
    if [[ $uid -lt 1000 && $user != "root" ]]; then
        continue
    fi
done

```

```
    crontab -l -u "$user" 2>/dev/null | filter_clean | while read line; do
        echo "user,$user,crontab,\"$line\"" >> "$OUTPUT"
    done
done

echo "==" CSV generated: $OUTPUT =="
```

## Note

By displaying users who use crontab on a Linux server, you can save your time and effort investigating if there are commands running at a certain time on that server.

## References

[stackoverflow.com](https://stackoverflow.com)

[unix.stackexchange.com](https://unix.stackexchange.com)

[cyberciti.biz](https://cyberciti.biz)